


BF 5 DATASHEET


TECHNICAL DATA	UNITS	BF 5
Free Airflow	m ³ /hr	130
	CFM	77
Effective Airflow	m ³ /hr	20-100
	CFM	12-59
Static Pressure	PA	1,900
	in/H ₂ O	7.6
Voltage	V	100 - 240
Motor Output	kW	0.04
Sound Level	db(A)	58
Inlet Port	Qty/Size	x2 - 50 mm
Weight	kg	17
	lbs	38
Dimensions (HxWxD)	mm	315x300x300
	inches	13x12x12

BF 5 Standard



Description	Part #
<i>BF 5 Standard Model</i>	90344
<i>2-Stage Filter - HEPA (H13) 10.8 ft² or 1.0m² Activated Carbon - 3.3 lbs or 3 Liters</i>	15119

BF 5-A Model



Description	Part #
<i>BF 5-A Model</i>	90421
<i>Activated Carbon - 6 lbs or 5.5 Liters</i>	15715

ACCESSORIES



HOSE KITS



FOOT SWITCH



EXTRACTION ARMS




HOODS / NOZZLES

BF 10 DATASHEET

TECHNICAL DATA	UNITS	BF 10
Free Airflow	m ³ /hr	250
	CFM	147
Effective Airflow	m ³ /hr	20-200
	CFM	12-118
Static Pressure	PA	6,000
	in/H ₂ O	24.1
Voltage	V	100 - 240
Motor Output	kW	0.6
Sound Level	db(A)	62
Inlet Port	Qty/Size	x2 - 50 mm
Weight	kg	24
	lbs	53
Dimensions (HxWxD)	mm	510x300x300
	inches	20x12x12




BF 10 Standard




Pre-Filter	(M5) Mat
HEPA	23.7 ft ² / 2.2 m ²
Carbon	7.7 lbs / 7 Liters

BF 10-A



Pre-Filter	
HEPA	
Carbon	13.2 lbs / 12 Liters

BF 10-ZA



Pre-Filter	23.7 ft ² / 2.2 m ²
HEPA	10.8 ft ² / 1.0 m ²
Carbon	3.3 lbs / 3 Liters

Part #	Description
90362	BF 10 Standard Model
11141	Set of 20 Pre-Filter Mats
11140	2-Stage Combo Filter

Part #	Description
90420	BF 10-A Model
11143	Activated Carbon Filter

Part #	Description
90396	BF 10-ZA Model
15976	Z-Line (M6) Pre-Filter
15119	2-Stage Combo Filter

BF 100 DATASHEET

TECHNICAL DATA	UNITS	BF 100	BF 100-Z
Free Airflow	m ³ /hr	280	280
	CFM	165	165
Effective Airflow	m ³ /hr	30-230	30-230
	CFM	18-135	18-135
Static Pressure	PA	11,000	11,000
	in/H ₂ O	44.2	44.2
Voltage	V	100 - 240	100 - 240
Motor Output	kW	1.1	1.1
Sound Level	db(A)	62	62
Inlet Port	Qty/Size	x2 - 50 mm X1 - 80mm	x2 - 50 mm X1 - 80mm
Weight	kg	40	54
	lbs	89	119
Dimensions (HxWxD)	mm	700x350x350	940x350x350
	inches	28x14x14	37x14x14





FILTER OPTIONS



DATA	BF 100	BF 100-Z
Pre-Filter (F7)	(M5) Mat	64.6 ft ² / 6.0 m ²
HEPA Filter (H13)	32.3 ft ² / 3.0 m ²	32.3 ft ² / 3.0 m ²
Activated Carbon	11 lbs / 10.0 Liters	11 lbs / 10.0 Liters


BF 100 Standard

Description	Part #
<i>BF 100 Standard Model</i>	90302
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12950
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon</i>	10004




BF 100 Standard-Z

Description	Part #
<i>BF 100 Standard Model</i>	90302
<i>Z-Line (F7) Upgrade Module Adds 230mm to system height</i>	16367
<i>Replacement Z-Line Filter (F7) Filter Surface Area</i>	16199
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon</i>	10004



Z-Line Filter Add-On



ACCESSORIES




LN 230 DATASHEET

TECHNICAL DATA	UNITS	LN 230
Free Airflow	m ³ /hr	320
	CFM	188
Effective Airflow	m ³ /hr	50-250
	CFM	30-147
Static Pressure	PA	20,000
	in/H ₂ O	80.3
Voltage	V	100 - 240
Motor Output	kW	1.1
Sound Level	db(A)	62
Inlet Port	Qty/Size	x2 - 50mm x1 - 80mm x1 - 100mm
Dimensions (WxD)	mm	350x350
	inches	14x14




FILTER CONFIGURATIONS



DATA	STANDARD	STANDARD-Z	LN 230-A	LN 230-ZA
Pre-Filter (F7)	(M5) Mat	64.6 ft ² / 6 m ²	(M5) Mat	64.6 ft ² / 6 m ²
HEPA (H13)	32.3 ft ² / 3.0 m ²	32.3 ft ² / 3.0 m ²		32.3 ft ² / 3.0 m ²
Activated Carbon	11 lbs / 10.0 Liters	11 lbs / 10.0 Liters		19.8 lbs / 18 Liters
System Weight	89 lbs / 40 kg	119 lbs / 54 kg	99 lbs / 45 kg	122 lbs / 55 kg
System Height	28 in / 700 mm	37 in / 940 mm	28 in / 700 mm	41 in / 1,025 mm


LN 230 STANDARD

Description	Part #
<i>LN 230 Standard Model</i>	90001
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12950
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 10 Liters</i>	10004




LN 230 STANDARD-Z

Description	Part #
<i>LN 230 Standard Model</i>	90001
<i>Z-Line (F7) Upgrade Module</i>	16367
<i>Z-Line Filter (F7)</i>	16199
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 10 Liters</i>	10004




LN 230-A SYSTEM

Description	Part #
<i>LN 230-A Model</i>	90003
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12950
<i>Activated Carbon 18 Liters</i>	10007



LN 230-ZA SYSTEM

Description	Part #
<i>LN 230-ZA Model</i>	90009
<i>Z-Line Filter (F7)</i>	16199
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 18 Liters</i>	10007



ACCESSORIES



EXHAUST PLATE



**SOUND INSULATION
MODULE**



HEPA POLICE FILTER



EXTRACTION ARMS



SPARK ARRESTORS




**BUILT-ON
SPARK ARRESTOR**

LN 260 DATASHEET

TECHNICAL DATA	UNITS	LN 260
Free Airflow	m ³ /hr	320
	CFM	188
Effective Airflow	m ³ /hr	50-250
	CFM	30-147
Static Pressure	PA	20,000
	in/H ₂ O	80.3
Voltage	V	100 - 240
Motor Output	kW	1.1
Sound Level	db(A)	62
Inlet Port	Qty/Size	x3 - 50mm x2 - 100mm x1 - 125mm
Dimensions (WxD)	mm	350x655
	inches	14x26




FILTER CONFIGURATIONS



DATA	STANDARD	STANDARD-Z	LN 260-A	LN 260-ZA
Pre-Filter (F7)	(M5) Mat	156.1 ft ² / 14.5 m ²	(M5) Mat	156.1 ft ² / 14.5 m ²
HEPA (H13)	64.6 ft ² / 6 m ²	64.6 ft ² / 6 m ²		64.6 ft ² / 6 m ²
Activated Carbon	28.6 lbs / 26 Liters	28.6 lbs / 26 Liters		49.5 lbs / 45 Liters
System Weight	155 lbs / 70 kg	190 lbs / 86 kg	155 lbs / 70 kg	199 lbs / 90 kg
System Height	28 in / 700 mm	38 in / 960 mm	30 in / 750 mm	44 in / 1,105 mm


LN 260 STANDARD

Description	Part #
<i>LN 260 Standard Model</i>	90034
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




LN 260 STANDARD-Z

Description	Part #
<i>LN 260 Standard Model</i>	90034
<i>Z-Line (F7) Upgrade Module</i>	16368
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




LN 260-A SYSTEM

Description	Part #
<i>LN 260-A Model</i>	90036
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>Activated Carbon 45 Liters</i>	12052



LN 260-ZA SYSTEM

Description	Part #
<i>LN 260-ZA Model</i>	90040
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 45 Liters</i>	12052



ACCESSORIES



EXHAUST PLATE



**SOUND INSULATION
MODULE**



HEPA POLICE FILTER



EXTRACTION ARMS



SPARK ARRESTORS




**BUILT-ON
SPARK ARRESTOR**

LN 265 DATASHEET

TECHNICAL DATA	UNITS	LN 265	
Voltage	V	120	230
Free Airflow	m³/hr	450	500
	CFM	264	294
Effective Airflow	m³/hr	50-400	50-450
	CFM	30-235	30-265
Static Pressure	PA	15,000	
	in/H ₂ O	60.3	
Motor Output	kW	1.2	1.8
Sound Level	db(A)	65	
Inlet Port	Qty/Size	x3 - 50mm x2 - 100mm x1 - 125mm	
Dimensions (WxD)	mm	350x655	
	inches	14x26	




FILTER CONFIGURATIONS



DATA	STANDARD	STANDARD-Z	LN 265-A	LN 265-ZA
Pre-Filter (F7)	(M5) Mat	156.1 ft² / 14.5 m²	(M5) Mat	156.1 ft² / 14.5 m²
HEPA (H13)	64.6 ft² / 6 m²	64.6 ft² / 6 m²		64.6 ft² / 6 m²
Activated Carbon	28.6 lbs / 26 Liters	28.6 lbs / 26 Liters		49.5 lbs / 45 Liters
System Weight	155 lbs / 70 kg	190 lbs / 86 kg	155 lbs / 70 kg	199 lbs / 90 kg
System Height	28 in / 700 mm	38 in / 960 mm	30 in / 750 mm	44 in / 1,105 mm


LN 265 STANDARD

Description	Part #
<i>LN 265 Standard Model (120V)</i>	90014
<i>LN 265 Standard Model (230V)</i>	90013
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




LN 265 STANDARD-Z

Description	Part #
<i>LN 265 Standard Model (120V)</i>	90014
<i>LN 265 Standard Model (230V)</i>	90013
<i>Z-Line (F7) Upgrade Module</i>	16368
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




LN 265-A SYSTEM

Description	Part #
<i>LN 265-A Model (120V)</i>	90016
<i>LN 265-A Model (230V)</i>	90015
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>Activated Carbon 45 Liters</i>	12052



LN 265-ZA SYSTEM

Description	Part #
<i>LN 265-ZA Model (120V)</i>	90020
<i>LN 265-ZA Model (230V)</i>	90019
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 45 Liters</i>	12052



ACCESSORIES



EXHAUST PLATE



**SOUND INSULATION
MODULE**



HEPA POLICE FILTER



EXTRACTION ARMS



SPARK ARRESTORS




**BUILT-ON
SPARK ARRESTOR**

GL 230 DATASHEET

TECHNICAL DATA	UNITS	GL 230
Free Airflow	m ³ /hr	350
	CFM	206
Effective Airflow	m ³ /hr	100-300
	CFM	59-176
Static Pressure	PA	6,000
	in/H ₂ O	24.1
Voltage	V	100 - 240
Motor Output	kW	0.6
Sound Level	db(A)	53
Inlet Port	Qty/Size	x2 - 50mm x1 - 80mm x1 - 100mm
Dimensions (WxD)	mm	350x440
	inches	14x18




FILTER CONFIGURATIONS



DATA	STANDARD	STANDARD-Z	GL 230-A	GL 230-ZA
Pre-Filter (F7)	(M5) Mat	64.6 ft ² / 6 m ²	(M5) Mat	64.6 ft ² / 6 m ²
HEPA (H13)	32.3 ft ² / 3.0 m ²	32.3 ft ² / 3.0 m ²		32.3 ft ² / 3.0 m ²
Activated Carbon	11 lbs / 10.0 Liters	11 lbs / 10.0 Liters		19.8 lbs / 18 Liters
System Weight	89 lbs / 40 kg	119 lbs / 54 kg	99 lbs / 45 kg	122 lbs / 55 kg
System Height	28 in / 700 mm	37 in / 940 mm	28 in / 700 mm	41 in / 1,025 mm


GL 230 STANDARD

Description	Part #
<i>GL 230 Standard Model</i>	90140
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12950
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 10 Liters</i>	10004




GL 230 STANDARD-Z

Description	Part #
<i>GL 230 Standard Model</i>	90140
<i>Z-Line (F7) Upgrade Module</i>	16367
<i>Z-Line Filter (F7)</i>	16199
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 10 Liters</i>	10004




GL 230-A SYSTEM

Description	Part #
<i>GL 230-A Model</i>	90142
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12950
<i>Activated Carbon 18 Liters</i>	10007



GL 230-ZA SYSTEM

Description	Part #
<i>GL 230-ZA Model</i>	90146
<i>Z-Line Filter (F7)</i>	16199
<i>HEPA (H13) Particle Filter</i>	10013
<i>Activated Carbon 18 Liters</i>	10007



ACCESSORIES



EXHAUST PLATE



CONNECTION KITS



HEPA POLICE FILTER



EXTRACTION ARMS



SPARK ARRESTORS




BUILT-ON
SPARK ARRESTOR

GL 265 DATASHEET

TECHNICAL DATA	UNITS	GL 265
Free Airflow	m ³ /hr	350
	CFM	206
Effective Airflow	m ³ /hr	100-300
	CFM	59-176
Static Pressure	PA	6,000
	in/H ₂ O	24.1
Voltage	V	100 - 240
Motor Output	kW	0.6
Sound Level	db(A)	53
Inlet Port	Qty/Size	x2 - 50mm x1 - 80mm x1 - 100mm
Dimensions (WxD)	mm	350x655
	inches	14x26




FILTER CONFIGURATIONS



DATA	STANDARD	STANDARD-Z	GL 265-A	GL 265-ZA
Pre-Filter (F7)	(M5) Mat	156.1 ft ² / 14.5 m ²	(M5) Mat	156.1 ft ² / 14.5 m ²
HEPA (H13)	64.6 ft ² / 6 m ²	64.6 ft ² / 6 m ²		64.6 ft ² / 6 m ²
Activated Carbon	28.6 lbs / 26 Liters	28.6 lbs / 26 Liters		49.5 lbs / 45 Liters
System Weight	99 lbs / 45 kg	130 lbs / 59 kg	99 lbs / 45 kg	132 lbs / 60 kg
System Height	30 in / 750 mm	39 in / 990 mm	30 in / 750 mm	41 in / 1,025 mm


GL 265 STANDARD

Description	Part #
<i>GL 265 Standard Model</i>	90136
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




GL 265 STANDARD-Z

Description	Part #
<i>GL 265 Standard Model</i>	90136
<i>Z-Line (F7) Upgrade Module</i>	16368
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 26 Liters</i>	10046




GL 265-A SYSTEM

Description	Part #
<i>GL 265-A Model</i>	90151
<i>Pre-Filter Mat (M5) Box of 20 Filters</i>	12980
<i>Activated Carbon 45 Liters</i>	12052



GL 265-ZA SYSTEM

Description	Part #
<i>GL 265-ZA Model</i>	90155
<i>Z-Line Filter (F7)</i>	16360
<i>HEPA (H13) Particle Filter</i>	10009
<i>Activated Carbon 45 Liters</i>	12052



ACCESSORIES



EXHAUST PLATE



CONNECTION KITS



HEPA POLICE FILTER



EXTRACTION ARMS



SPARK ARRESTORS




**BUILT-ON
SPARK ARRESTOR**

GL DESK DATASHEET



TECHNICAL DATA	UNITS	GL DESK
Free Airflow	m ³ /hr	350
	CFM	206
Effective Airflow	m ³ /hr	100-300
	CFM	59-176
Static Pressure	PA	6,000
	in/H ₂ O	24.1
Voltage	V	100 - 240
Motor Output	kW	0.6
Sound Level	db(A)	53
Inlet Port	Qty/Size	x1 - 100mm
Dimensions (HxWxD)	mm	780x710x700
	inches	31x28x28
Weight	kg	135
	lbs	298

ORDER DATA



Description	Part #
<i>GL-DESK 30 Model</i>	90425
<i>Z-Line Filter (F7) - 156.1 ft² / 14.5m²</i>	16200
<i>HEPA (H13) Particle Filter 64.6 ft² / 6m²</i>	13590
<i>Activated Carbon 49.5 lbs / 45 Liters</i>	16299

ACCESSORIES

